Kursprov, vårterminen 2014

Mathematics

Delprov B



Elevens namn och klass/grupp

Instructions – Part B

| Time for the test | 60 minutes for Part B. | | | | | |
|-------------------|--|--|--|--|--|--|
| Aids | Allowed aids on Part B are formula sheet and ruler. | | | | | |
| Tasks | This part consists of tasks to be solved without using digital devices. Answers and solutions are to be written in the test booklet. Some of the tasks require working, which is to be shown in the figure and the box next to the task. For the other tasks only the answer is required. The maximum number of points that you can get for your answer/solution is shown after each task. | | | | | |
| Grading limits | The test (Part A-D) gives a total maximum of 92 points. | | | | | |
| | Limit for test grade E: At least 22 points. D: At least 36 points of which at least 12 points at level C or higher. C: At least 49 points of which at least 23 points at level C or higher. B: At least 62 points of which at least 7 points at level A. A: At least 71 points of which at least 12 points at level A. | | | | | |
| | Name: | | | | | |
| | Date of birth: | | | | | |
| | Program: Class: | | | | | |
| | | | | | | |
| | | | | | | |

Illustration: Jens Ahlbom

NpMa1b Part B vt2014

1. The wheel is rotated around its centre point. Determine the smallest possible rotation angle for the picture of the wheel to coincide with the original picture.



Answer:______ o (1/0/0)

2. Write 20 as a product of prime numbers.

Answer:_____ (1/0/0)

3. The diagram below shows the number of internet users in the world in 1999 and 2009. In 1999, there were about 350 million internet users. Approximately how many users were there in 2009? Show your solution.



Answer:

(2/0/0)

| 4. | What numbe | r should b | oe in | the box | to make | the equality | correct? |
|----|------------|------------|-------|---------|---------|--------------|----------|
|----|------------|------------|-------|---------|---------|--------------|----------|

$$15 \cdot 0.1 = \frac{30}{\Box}$$

5. The maximum number of pulse beats per minute, *P*, is called the maximum pulse. According to one model, the maximum pulse can be calculated using the formula

$$P = 220$$
 – the person's age


Filip has a maximum pulse of 190. Harald is half Filip's age. What is Harald's maximum pulse according to the model?

| Answer: | pulse bests/min | (2/0/0) |
|----------|-----------------|---------|
| Aliswei. | pulse beats/min | (2/0/0) |

6. Uppgift under sekretess. Kommer att läggas till så snart sekretesstiden har gått ut.

7. What number is exactly halfway between $\frac{1}{4}$ and $\frac{1}{2}$? Answer:______ (0/1/0)

8.



- a) Reflect the triangle A₁B₁C₁ in the y-axis. Mark the new triangle's reflected corners A₂, B₂ and C₂. (1/1/0)
- b) Let the reflected triangle's corner at the origin remain fixed.

 Rotate the triangle 90 degrees clockwise (to the right).

 Mark the new triangle's rotated corners A₃, B₃ and C₃. (0/2/0)
- **9.** A square has the side *s* and the area *A*. Which of the equalities is true? Circle your answer.

$$s = A^2 \qquad \qquad s = \sqrt{A} \qquad \qquad s = 4A \qquad \qquad s = \frac{A}{4} \qquad \qquad \sqrt{s} = A \tag{0/1/0}$$

10. Oskar, Krister and Fredrik have all solved the same equation. Only one solution is correct.

| Oskar | Krister | Fredrik |
|------------------------|----------------|----------------|
| 3x - 2(5 - x) = 2x + 5 | 3x-2(5-x)=2x+5 | 3x-2(5-x)=2x+5 |
| 3x-10+x=2x+5 | 3x-10+2x=2x+5 | 3x-10-2x=2x+5 |
| 2x = 15 | 3x=15 | 3x = 15 |
| X=7,5 | X=5 | x=5 |
| | | |

| a) | Who has solved the equation correctly? | Answer: | (1/0/0) |
|----|--|---------|---------|

b) What are the errors in the other two solutions?

| | | (1/1/1) |
|--|--|---------|
| | | (1/1/1) |

11. Infusions (or intravenous drips) are used to deliver fluids and drugs to patients. Nurses must be able to calculate the drip rate, *D*, in drops per minute.

They use the formula
$$D = \frac{d \cdot v}{60 \cdot n}$$
 where

d is the drop factor measured in drops per millilitre, v is the infusion volume in millilitres and n is the number of hours that the drip must be in place.



a) A nurse wants to double the amount of time the drip is in place. Describe exactly how D changes if n is doubled but d and v do not change.Write your answer in the box.

| Answer: | | |
|---------|--|--|
| | | |
| | | |

(0/2/0)


b) Nurses must also be able to calculate the infusion volume, v, from the drip rate, D.

An infusion with a drip rate of 50 drops per minute must be given to a patient for 3 hours. For this infusion, the drop factor is 25 drops per millilitre.

What is the infusion volume in millilitres (ml)?

Answer: <u>ml</u> (0/0/1)

12. Write an expression for the shaded area.





Answer:_____ (0/0/1)

| 13. | Enter the appropriate symbol in the box between the statements below. Choose between the following symbols: \Leftarrow , \Rightarrow and \Leftrightarrow . | |
|-----|--|---------|
| | Two angles of the triangle The triangle is isosceles. are equal. | |
| | Two angles of the triangle are equal. The triangle is equilateral. | |
| | The quadrilateral has equally long sides. The quadrilateral is a square. | |
| | | (0/1/1) |
| | | |
| 14. | Sara knows the price of a litre of milk in the year 1985. She is now going to calculate the price in the year 2011 with the help of an index table. What information does she need from the index table in order to solve the problem? | |
| | 1. The base year is 1980. | |
| | 2. The index figures for 1985 and 2011. | |
| | She has sufficient information to solve the problem Mark your answer with a cross. | |
| | in (1) but not in (2) | |
| | in (2) but not in (1) | |
| | in (1) and (2) combined | |
| | in (1) and in (2) separately | |
| | in neither (1) nor (2) | |
| | | (0/0/1) |

NpMa1b Part B vt2014 10

15. Draw the inequalities which together enclose the shaded area. Write your answer in the box.





(0/1/1)

Resultatredovisning – Sammanfattning Elev

Nationellt kursprov i matematik, kurs 1b vt 2014

| Namn: | Provbetyg: |
|-------|------------|
| | |

| | E-poäng | | C-po | C-poäng | | A-poäng | | talt |
|-----------|--------------|---------------|--------------|---------------|--------------|---------------|--------------|---------------|
| | Din poäng | Max- poäng | Din poäng | Max- poäng | Din poäng | Max- poäng | Din poäng | Max- poäng |
| Delprov A | | 4 | | 5 | | 5 | | 14 |
| Delprov B | | 11 | | 10 | | 6 | | 27 |
| Delprov C | | 3 | | 4 | | 3 | | 10 |
| Delprov D | | 13 | | 20 | | 8 | | 41 |
| Totalt | | 31 | | 39 | | 22 | | 92 |

| Delprov A | E | С | A | Poäng | Motivering |
|---------------------------|-------------------------------------|----------------------------------|----------------------------------|-------|------------|
| Metod och genomförande | +E _P +E _{PL} | +C _B +C _{PL} | +A _P +A _{PL} | | |
| Resonemang | $+E_R$ | +C _R | $+A_R$ | | |
| Resolicinang | $+E_R$ | +C _R | $+A_R$ | | |
| Kommunikation | | +C _K | +A _K | | |
| Summa | 4 | 5 | 5 | | |

| Delprov C | E | С | A | Poäng | Motivering |
|---------------------------|------------------|------------------|------------------|-------|------------|
| Metod och genomförande | +E _{PL} | +C _P | +A _{PL} | | |
| | +E _P | +C _{PL} | | | |
| Resonemang | +E _R | $+C_R$ | $+A_R$ | | |
| Kommunikation | | +C _K | +A _K | | |
| Summa | 3 | 4 | 3 | | |

Kravgränser

Gräns för provbetyget

- E: Minst 22 poäng.
- D: Minst 36 poäng varav minst 12 poäng på lägst nivå C.
- C: Minst 49 poäng varav minst 23 poäng på lägst nivå C.
- B: Minst 62 poäng varav minst 7 poäng på nivå A.
- A: Minst 71 poäng varav minst 12 poäng på nivå A.

| D.I. | 28 | | 7 . | |
|--------------|----|------|-----|--|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| Kommentarer: | | | | |
| | | | | |

